


# **BELGIQA**



#### BELGIQA IS A MANUFACTURER OF HIGH-QUALITY ENGINEERED WOOD FLOORING.


A joint- venture of three Belgian companies, each with solid know-how in their own specific field. We believe that the combination of this know-how is exactly what makes our product exceptional. It may seem unconventional or unexpected to combine high-tech machinery with craftsmanship and yet, this is exactly what Belgiqa does. We combine ancient craft techniques with state-of-the-art machines and allow highend wood flooring to be produced on a larger scale, without having to compromise on aesthetics or quality. The result is high-quality wood flooring in terms of stability, fitting, finish and colour – valued by architects and designers around the world.





BOTH INNOVATION AND CRAFTSMANSHIP ARE ESSENTIAL TO ENSURE THE HIGHEST QUALITY.






 $\blacktriangle$  Our products are being tested over and over in our lab, until perfection is reached.


# EXPERTS IN CUSTOM WOOD FLOORING

If we don't have it, we'll make it – it really is that simple. Our R&D manager Sarah works fulltime on the development of new shades and colours. As a former archaeologist and art restorer, she is equally adept in science as she is in aesthetics. Today, Sarah runs the Belgiqa Lab, where she applies her knowledge to the development of custom colours and finishes for our clients. So if you're looking for something specific – rest assured. Sarah will find just the thing for you.



#### A PROFOUND UNDERSTANDING OF ARCHITECTURE

We try our very best to really get to know our clients and thoroughly understand their needs. It is Belgiqa's mission to present the perfect range of wood flooring to architects and designers and the only way to reach that goal, is to listen and learn. Our team never stops innovating and always keeps following the latest trends and influences. We wish to offer a complete and balanced collection as well as the opportunity to create brand new custom wood flooring from scratch, because we firmly believe that there is a solution to every question.





 $\left(\mathsf{BQ}\right)$ 

#### DISCOVER OUR DESIGNER TOOLS


Belgiqa service is not limited to our product. We want to make it as pleasant and easy as possible for our clients to work with our products. That means not only smooth communication, a fast sample service and custom work, but also digital tools like our 3D textures. With the QR code on our samples, architects and designers can gain access to technical data sheets and seamless patterns, which they can use for their 3D designs in Sketchup or Revit.

- Fast & Easy
- Effective
- Imaginative



#### BELGIQA BOARDS AT THE SAW MILL


In 1920 Henri Vanlandschoot started off as a manufacturer of wood veneer for the high-end furniture industry. However, after a couple of successful years, the company decided to use its knowledge for the production of engineered wood flooring, resulting in perfectly pressed and profiled planks with an excellent fitting. With more than 100 years of experience and under the management of Henri's grandsons Kurt and Tom, Vanlandschoot has grown to be one of the strongest players in its field. Today, Vanlandschoot operates as Belgiqa's official saw mill.







First, the sawn top layers are manually sorted by grading, after which they are glued to the plywood by cold pressing. Once pressed, the boards are plugged up with paste. This is done either manually or mechanically, depending on the grading. The Art and Art+ gradings, for example, are sorted manually. Next, the boards are calibrated by sanding the underside to ensure a perfect fitting for profiling. During profiling, they are subsequently fitted with tongue and groove and the desired joint. Last, but not least, the fitting of the boards is manually checked. After this, the boards are ready for finishing.



#### THE FINISHING OF A BELGIQA BOARD

Ivan Soenens first started his car body shop in 1984, specialising in car painting and thus becoming an expert in matching colours, shades and textures. Much like Vanlandschoot, he later on decided to use this expertise for the finishing of wood flooring. The extreme precision that is needed for the painting of bodywork, is reflected in the high standards that Miva maintains for the colouring and finishing of Belgiqa's wood flooring.



As far as parquet flooring finishes are concerned, the possibilities are endless. Depending on the client's wishes, the boards may or may not be brushed or aged. After that they are oiled or stained and even within that, there is a choice of hard wax oil or UV oil and reactive stains or pigmented stains. Some finishes can even be combined. And it doesn't quite stop there: we haven't even mentioned very different types of treatment yet, such as soaping or finishing with wax. The bottomline is: anything is possible.









# BELGIQA

At the production site in Ledegem, we created an inspiring space to showcase our collections and innovations. Everyday we welcome clients to discover the latest novelties.

Belgiqa Showroom Nijverheidslaan 28 8880 Ledegem . Belgium +32 56 234 999









BELGIQA BOARDS ARE
CONTINUOUSLY TESTED IN OUR
LAB IN ORDER TO MAXIMISE
THEIR DURABILITY.

Through various water and stain tests, we have found ways to ensure maximum protection. A protective coating - called Longlife - keeps the boards well protected, water-repellent and easy to maintain. Due to the dense saturation of the wood grain, stains can no longer penetrate the wood.



▶ 018



### NATURE IS LITERALLY OUR BUSINESS

Nature is literally our business. We therefore consider it extremely important to do our part for the environment. Belgiqa always looks to the future and that also applies to the future of our planet. We have invested in solar panels and charging stations for our 100% electric fleet. The Belgiqa saw mill is heated with our own wood waste and every year we plant a new forest. In addition to that, our packaging is made from recycled plastic and we try to pursue a paperless policy in our daily activities. These are only a few examples of how we try to contribute to the conservation of the environment, but every day we try to find new ways to do more.






## BELGIQA

# PRODUCT OVERVIEW

**○**®


019 <

CHOOSE YOUR FLOOR CHOOSE YOUR FLOOR




#### TRADITIONAL PLANKS

The most common parquet pattern for sleek and modern interiors.



#### CHEVRON


A parquet floor in chevron consists of strips of the same dimensions, of which the ends are cut at an angle of 45° to 60° and that are laid parallel to each other to form parallel patterns.



#### HERRINGBONE


Herringbone parquet fits in with every living style, from classic to modern.

A herringbone parquet consists of elongated planks, which are laid against each other in a herringbone pattern.



#### ALTERNATING WIDTHS

Belgiqa boards are available in many different widths. If you combine those with each other, it creates a beautiful and unique effect.



#### VERSAILLES

Versailles parquet consists of premounted square wooden panels with a pattern of interlocking diagonals. It takes its name from the Palace of Versailles for which it was designed to replace the marble floors.



SELECT / BIS

Knots: minimal

Diameter knots: max. 10 mm

Cracks: none

Sapwood: limited



CLASSIC

Knots: unlimited/filled

Diameter knots: max. 50 mm

Cracks: permitted

Sapwood: limited



PRIME / BIS

Knots: minimal

Diameter knots: max. 10 mm

Cracks: none

Sapwood: none



NATURAL AB

Knots: unlimited/filled

Diameter knots: max. 35 mm

Cracks: permitted

Sapwood: none



GRADINGS

ART

Natural rustic look with open/half filled knots and cracks

Top layer: planed

Knots: open and/or semi-filled



ELEGANCE

Knots: unlimited/filled

Diameter knots: max. 35 mm

Cracks: permitted

Sapwood: limited



STORMWOOD

Knots: open, filled manually

Cracks: yes

Sapwood: none



NATURAL A

Knots: very few

Diameter knots: max. 20 mm

Cracks: none

Sapwood: none



NATURAL B

Knots: very few to none

Diameter knots: max. 10mm

Cracks: none

Sapwood: none



ART+

Natural rustic look with open/half filled

knots and cracks

Top layer: undulating/shrunk knots

Knots: open and/or semi-filled

021 ◀


▶ 020 PATTERNS

Traditional planks: The most common parquet pattern for sleek and modern interiors. Chevron: A parquet floor in chevron consists of strips of the same dimensions, of which the ends are cut at an angle of 45° to 60° and that are laid parallel to each other to form parallel patterns.

Depending on the specific collection, your flour comes in different gradings, meaning you can choose how many knots you want or how large they should be.

Prime guarantees a clean and polished look, while natural B or Art+ make for a more rustic touch.

CHOOSE YOUR FLOOR CHOOSE YOUR FLOOR









#### 01 BRUSHED

Do you like the effect of a distinctive texture and a clearly defined wood grain? Brushed floorboards might be exactly what you're looking for. This type of flooring is treated with steel brushes, which removes the soft wood fibres and brings out the unique patterns in the wood grain.

#### 02 AGED

Aged floorboards lend your interior that highly soughtafter touch of authenticity. The planks are placed in a drum with nails and pebbles. After this treatment, this results in a floorboard with dents, scratches and indentations which create a distinctive, aged hardwood floor.

#### 03 BAND SAW EFFECT

If you're looking for a more robust, hand-crafted look, the bandsaw effect might be just the thing for you. The bandsaw creates fine lines on the surface, giving it the traditionally crafted look of freshly sawn floorboards.

▶ 022 BEVELS

The choise of a pattern has a big impact on the look and feel of an entire interior design. Regular planks will never be out of style, but then again Versailles, herringbone or chevron might add a lot of character. The choice is yours and the possibilities are – once again – endless.

FINISHES

There are more determining factors for a floor's look than simply colour. Certain finishing techniques can give a completely different dimension to the parquet. Whether you prefer your floor brushed, aged or finished with the band saw: each technique provides you with an original touch.

023 •

CHOOSE YOUR FLOOR PERFECTLY MATCHED




- Oak one - two - three





Collections

- Oak four five six seven eight
- Forgotten wood species





▶ 024 MULTILAYER & PLYWOOD CORE

A multilayer base is made of pine and poplar.

A plywood base consists of layers of birch glued together crosswise and waterproof.

MATCHING STAIRS 025 4

Nobody likes a job half done... So why not let us take care of your stairs as well? Colours can be perfectly matched, creating the harmony you might otherwise miss.

#### BELGIQA

# COLLECTION OVERVIEW

#### ▶ OAK RANGES: ONE - TWO - THREE - FOUR

Oak One – Oak Three offers three collections that vary strongly in looks and colours. The floorboards are multilayer and available in three gradings offered in fixed widths and lengths. Oak One is the perfect entry collection. Oak Four is characterised by its authentic, weathered look. The top layers of this floor still show original traces of the bandsaw. The collection comprises a lovely selection of rustic oak wood with unfilled knots and cracks.


#### ▶ OAK RANGES: FIVE - SIX - SEVEN - EIGHT

Oak Five – Oak Six – Oak Seven – Oak Eight include the same colours as well as more complex reactive colours and finishes. The planks are entirely customisable in terms of width, thickness and length.

Even XXL planks are an option. Oak Five and Oak Six come in four gradings, Oak Seven and Oak Eight are available in six gradings.

#### ► FORGOTTEN WOOD SPECIES

This collection consists out of a wide range of alternative wood species, each with a unique look and feel. We offer these types of wood in combination with unique colour formulas and finishes. These colours bring the typical patterns of the wood grain to life even more beautifully.



# OAK RANGES

#### INDEX


BQ

OAK ONE (1 colour) — P.031
OAK TWO (5 colours) — P.033
OAK THREE (10 colours) — P.035
OAK FOUR (10 colours) — P.037
OAK FIVE (5 colours) — P.039
OAK SIX (10 colours) — P.041
OAK SEVEN (6 colours) — P.043

OAK EIGHT (12 colours) — P.045

DAK SEVEN (6 colours) — P.043





# OAK ONE

DIMENSIONS	GRADINGS	EXTRA
Width: 190mm Thickness: 14/3, 2mm Length: 1900 mm + cracks	Select / Bis Elegance Classic	Unfinished look Micro-V
The core is multilayer: oak, pine and poplar (backing)		



O101 Natural Beige




# OAK TWO

DIMENSIONS	GRADINGS	EXTRA
Width: 190mm Thickness: 14/3, 2mm Length: 1900 mm + cracks	Select / Bis Elegance Classic	Micro-V
The core is multilayer: oak, pine and poplar (backing)		



# OAK THREE



#### COLOURS









11

# OAK FOUR

DIMENSIONS	GRADINGS	EXTRA
Width: 190mm Thickness: 15/4 Length: 1900 mm + cracks		Produced with reactive stains & oils  Aged and weathered look
Plywood backing		

#### COLOURS









# OAK FIVE

#### DIMENSIONS

Width: 145 - 160 - 180 - 200 - 220 -

240 - 260 - 300 mm

Thickness: 12/4 -15/4 - 17/5 - 19/4 mm Length: mixed from 1500 up to 2900 mm

Plywood backing

#### XXL EDITIONS

Width: 220 - 260 - 300 - 360 - 400 mm

Thickness: 18/4 -20/6 mm Length: mixed from 1600 up to 6000 mm

#### GRADINGS

Prime
Natural A
Natural AB
Natural B











O505 Dark Dust





# OAK SIX

DIMENSIONS	

Width: 145 - 160 - 180 - 200 - 220 -

240 - 260 - 300 mm

Thickness: 12/4 -15/4 - 17/5 - 19/4 mm Length: mixed from 1500 up to 2900 mm

0606 Fumé Blanc

O607 Faded Brown

Plywood backing

#### XXL EDITIONS

Width: 220 - 260 - 300 - 360 - 400 mm

Thickness: 18/4 -20/6 mm Length: mixed from 1600 up to 6000 mm


#### GRADINGS

Prime
Natural A
Natural AB
Natural B
Art
Art +

#### EXTRA

Produced with reactive stains & oils

#### COLOURS



O608 Light Terra


O609 Intense Terra

▶ 040

O610 Natural Sand

# OAK SEVEN

#### DIMENSIONS GRADINGS EXTRA Width: 145 - 160 - 180 - 200 - 220 -XXL EDITIONS Weathered colours Prime 240 - 260 - 300 mm Width: 220 - 260 - 300 Produced with reactive Natural A - 360 - 400 mm Thickness: 12/4 -15/4 - 17/5 - 19/4 mm Natural AB stains & oils Length: mixed from 1500 up to 2900 mm Thickness: 18/4 -20/6 mm Natural B Length: mixed from 1600 Art Plywood backing up to 6000 mm Art +






O706 Intense Taupe









# OAK EIGHT

DIMENSIONS		GRADINGS	EXTRA
Width: 145 - 160 - 180 - 200 - 220 -	XXL EDITIONS	Prime	Weathered and hand-
240 - 260 - 300 mm	Width: 220 - 260 - 300	Natural A	crafted colours
Thickness: 12/4 -15/4 - 17/5 - 19/4 mm	- 360 - 400 mm	Natural AB	
Length: mixed from 1500 up to 2900 mm	Thickness: 18/4 -20/6 mm	Natural B	
	Length: mixed from 1600	Art	
Plywood backing	up to 6000 mm	Art +	

#### COLOURS

0811 Madder Brown

O812 Warm Charcoal





# FORGOTTEN WOOD SPECIES BQ

#### INDEX

**ASH** (7 colours) — **P.049 ELM** (3 colours) — **P.051** DOUGLAS (5 colours) — P.053 AFRORMOSIA (3 colours) — P.055 WALNUT (5 colours) — P.057 MAHOGANY (4 colours) — P.059 POPLAR (4 colours) — P.060

**TEAK** (3 colours) — **P.061** 

# ASH

#### DIMENSIONS

Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm

Thickness: 15/4 - 17/5 mm

Length: mixed 1500 up to 2900 mm

\* Depending on availability

#### GRADINGS

Prime

Natural A Natural AB Natural B

#### EXTRA

Weathered colours and reactive stains

#### COLOURS













BQ AS206 Soft Cream


BQ AS207 Light Taupe

#### COLLECTIONS

# ELM

# DIMENSIONS GRADINGS EXTRA Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm Prime Natural A Length: mixed 1500 up to 2900 mm Natural AB Natural B \* Depending on availability \* Depending on availability \* Depending on availability









# DOUGLAS

DIMENSIONS\*

Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm Thickness: 15/4 - 17/5 mm

\* Depending on availability

Length: mixed 1500 up to 2900 mm

GRADINGS

Prime
Natural A
Natural AB
Natural B

EXTRA

Weathered colours and reactive stains





BQ D301 Soft Shell



BQ D302 Medium Dust







BQ D305 Warm Bark







▶ 054



# AFRORMOSIA

#### DIMENSIONS\*

Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm

Thickness: 15/4 - 17/5 mm

Length: mixed 1500 up to 2900 mm

\* Depending on availability

#### GRADINGS

Prime Natural A Natural AB Natural B

#### EXTRA

Weathered colours and reactive stains







BQ AF101 Dark Sand

055 ∢

# WALNUT









# MAHOGANY









COLLECTIONS COLLECTIONS

## POPLAR

# DIMENSIONS\*

Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm

Thickness: 15/4 - 17/5 mm

Length: mixed 1500 up to 2900 mm

\* Depending on availability

#### GRADINGS

Prime

Natural A

Natural AB

Natural B

#### EXTRA

Weathered colours and reactive stains

#### \* Depending on availability

Thickness: 15/4 - 17/5 mm

Length: mixed 1500 up to 2900 mm

Width: 145 - 180 - 200 - 220 - 240 - 250 - 260 - 300 - 350mm

TEAK

DIMENSIONS\*

#### GRADINGS

Prime

Natural A

Natural AB

Natural B

#### EXTRA

Weathered colours and reactive stains

COLOURS



BQ P601 Warm Sand







BQ P603 Dark Charcoal

BQ P604 Warm Smoke

#### COLOURS



BQ T702 Dark Titanium

▶ 060 061 ◀



# When we say the possibilities are endless, we mean it.

Curious to find out what we could do for you? Visit our website and discover how far Belgiqa goes to provide each project of the perfect wooden floor.

BQ